

300 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot	
							Min	Max	H	W	H	W		
IM-09	245 TON JSW	18	All Electric		19.7"	39.4"	9.1"					22"	22"	None

KO Patteren:

330 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot	
							Min	Max	H	W	H	W		
IM-26A	330 TON ROBOSHOT	22	All Electric		23.6	29.21	11.8	25.5				27.95	27.95	None

KO Patteren:

IM-27A	330 TON ROBOSHOT	22	All Electric		23.6	29.21	11.8	25.5				27.95	27.95	None
--------	------------------	----	--------------	--	------	-------	------	------	--	--	--	-------	-------	------

KO Patteren:

400 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot	
							Min	Max	H	W	H	W		
IM-01	363 TON JSW	34	Toggle	GENERAL PURPOSE 22:1 2.36" DIA	23.6"	50.0"	12.6"					27.16"	27.16"	None

KO Patteren:

IM-08	363 TON JSW	34	Toggle		23.6"	50.0"	12.6"					27.16"	27.16"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--	--------	--------	------

KO Patteren:

IM-25	363 TON JSW	34	Toggle		23.6"	50.0"	12.6"					27.16"	27.16"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--	--------	--------	------

KO Patteren:

500 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot	
							Min	Max	H	W	H	W		
IM-04	484 TON JSW	53	Toggle		27.5"	57.1"	15.0"					31.9"	31.9"	None

KO Patteren:

IM-05	484 TON JSW	53	Toggle		27.5"	57.1"	15.0"					31.9"	31.9"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--	-------	-------	------

KO Patteren:

IM-10	484 TON JSW	53	Toggle		27.5"	61.0"	15.0"					31.9"	31.9"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--	-------	-------	------

KO Patteren:

IM-24 484 TON JSW 53 Toggle 27.5" 57.1" 15.0" 31.9" 31.9" None

KO Patteren:

501 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-06 484 TON JSW 74 Toggle 27.5" 61.0" 15.0" 31.9" 31.9" None

KO Patteren:

IM-07 484 TON JSW 74 Toggle 27.5" 57.1" 15.0" 31.9" 31.9" None

KO Patteren:

700 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-14 720 TON JSW 121 Toggle 37.4" 81.9" 17.0" 37.4" 37.4" Sterltech

KO Patteren:

IM-15 700 TON HPM 160 Hydraulic 44" 70.0" 26.0" 36.5" 46" None

KO Patteren:

IM-16 720 TON CINCINNATI 184 Hydraulic 52" 70.0" 18.0" 37.4" 37.4" None

KO Patteren:

IM-19A 615 TON VAN DORN 18 Hydraulic 18:1 125MM DIA. 52" 75.6" 23.6" 66.1" 58.1" 45.6" 37.4" None

KO Patteren:

1000 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-11 1100 TON CINCINNATI 362 Two-Platen 20:1 140MM DIA. 362 OZ. 78.75" 94.5" 15.75" 47.25" 82.7" 61.2" 60.2" 45.3" Sepro

KO Patteren:

IM-12 1000 TON CINCINNATI 262 Hydraulic 20:1 125MM DIA. 232 OZ. 48" 92.5" 14.5" 44.5" 58" 64" 44.09" 44.09" Sterltech

KO Patteren: 6x28; 10x40; 16x52

IM-13 940 TON JSW 190 Toggle 47.24" 90.55" 16" 21.65" 41.73" 41.73" Paxon

KO Patteren: 4x16; 6x28; 10x40

IM-17	1000 TON VAN DORN	165	Hydraulic								None
KO Patteren:											
IM-18	1100 TON HUSKY	80	Hybrid								Husky
KO Patteren:											
IM-20	1000 TON VAN DORN	260	Hydraulic								None
KO Patteren:											
IM-28	1000 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-29	880 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-30	880 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-31	880 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-32	1000 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-33	1000 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-34	1000 TON HUSKY	220	Hybrid								Husky
KO Patteren:											
IM-35	935 TON CINCINNATI	262	All Electric	33.78	17.72	47.24			49.2	39.37	None
KO Patteren: 6x28; 10x40 H+V; 16x52 H											

1500 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-21	1500 TON CINCINNATI	362	Hydraulic		60.2"	124"	5.8"	63.8"			51.97"	62.20"	Paxon
KO Patteren: 6x28; 10x40; 16x52; 16x64 V-H; 17X76 H													

2000 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-22	2000 TON ENGEL	400	Toggle		63"	118.1"	23.0"				55.1"	55.1"	Sepro
KO Patteren: 6x28; 10x40 H													
IM-23	2000 TON ENGEL	600	Toggle	170mm	63"	118.1"	19.7"				55.1"	55.1"	Sepro
KO Patteren: 6x28; 10x40 Horizontal													