



Molding Press Specifications

13245 Los Angeles St. Baldwin Park, CA 91706

300 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-09	262 TON JSW	18	Toggle		19.7"	39.4"	9.1"				22"	22"	None

KO Patteren:

330 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-26A	330 TON ROBOSHOT	22	All Electric		23.6	29.21	11.8	25.5			27.95	27.95	None

KO Patteren:

IM-27A	330 TON ROBOSHOT	22	All Electric		23.6	29.21	11.8	25.5			27.95	27.95	None
--------	------------------	----	--------------	--	------	-------	------	------	--	--	-------	-------	------

KO Patteren:

400 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-01	363 TON JSW	34	Toggle	GENERAL PURPOSE 22:1 2.36" DIA	23.6"	50.0"	12.6"				27.16"	27.16"	None

KO Patteren:

IM-08	363 TON JSW	34	Toggle		23.6"	50.0"	12.6"				27.16"	27.16"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--------	--------	------

KO Patteren:

IM-25	363 TON JSW	34	Toggle		23.6"	50.0"	12.6"				27.16"	27.16"	None
-------	-------------	----	--------	--	-------	-------	-------	--	--	--	--------	--------	------

KO Patteren:

401 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-24	363 TON JSW	48	Toggle		23.6"	50.0"	12.6"				27.16"	27.16"	Yushin

KO Patteren:

500 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-03	484 TON JSW	53	Toggle		27.5"	57.1"	15.0"				31.9"	31.9"	None

KO Patteren:



Molding Press Specifications

13245 Los Angeles St. Baldwin Park, CA 91706

IM-04 484 TON JSW 53 Toggle 27.5" 57.1" 15.0" 31.9" 31.9" None

KO Patteren:

IM-05 484 TON JSW 53 Toggle 27.5" 57.1" 15.0" 31.9" 31.9" None

KO Patteren:

IM-10 484 TON JSW 53 Toggle 27.5" 61.0" 15.0" 31.9" 31.9" None

KO Patteren:

IM-19 500 TON VAN DORN 18 Hydraulic 18:1 125MM DIA. 52 " 75.6" 23.6" 66.1" 58.1" 45.6" 37.4" None

KO Patteren:

501 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-02 484 TON JSW 74 Toggle 27.5" 61.0" 15.0" 31.9" 31.9" None

KO Patteren:

IM-07 484 TON JSW 74 Toggle 27.5" 57.1" 15.0" 31.9" 31.9" None

KO Patteren:

700 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-14 720 TON JSW 121 Toggle 37.4" 81.9" 17.0" 37.4" 37.4" Sterltech

KO Patteren:

IM-15 700 TON HPM 160 Hydraulic 44" 70.0" 26.0" 36.5" 46" None

KO Patteren:

IM-16 720 TON CINCINNATI 184 Hydraulic 52" 70.0" 18.0" 37.4" 37.4" None

KO Patteren:

1000 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	

IM-11 1100 TON CINCINNATI 362 Two-Platen 20:1 140MM DIA. 362 OZ. 78.75" 94.5" 15.75" 47.25" 82.7" 61.2" 60.2" 45.3" Sepro

KO Patteren:



Molding Press Specifications

13245 Los Angeles St. Baldwin Park, CA 91706

IM-12	1000 TON CINCINNATI	262	Hydraulic	20:1 125MM DIA. 232 OZ.	48"	92.5"	14.5"	44.5"	58"	64"	44.09"	44.09"	Sterltech
KO Patteren: 6x28; 10x40; 16x52													
IM-13	940 TON JSW	190	Toggle		47.24"	90.55"	16"	21.65"			41.73"	41.73"	Paxon
KO Patteren: 4x16; 6x28; 10x40													
IM-17	1000 TON VAN DORN	165	Hydraulic										None
KO Patteren:													
IM-18	1100 TON HUSKY	80	Hybrid										Husky
KO Patteren:													
IM-20	1000 TON VAN DORN	260	Hydraulic										None
KO Patteren:													
IM-28	1000 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-29	880 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-30	880 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-31	880 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-32	1000 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-33	1000 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-34	1000 TON HUSKY	220	Hybrid										Husky
KO Patteren:													
IM-35	935 TON CINCINNATI	262	All Electric		33.78		17.72	47.24			49.2	39.37	None
KO Patteren: 6x28; 10x40 H+V; 16x52 H													



Molding Press Specifications

13245 Los Angeles St. Baldwin Park, CA 91706

1500 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-21	1500 TON CINCINNATI	362	Hydraulic		60.2"	124"	5.8"	63.8"			51.97"	62.20"	Paxon
KO Patteren: 6x28; 10x40; 16x52; 16x64 V-H; 17X76 H													

2000 Ton Machines

ID	Description	Shot Size (oz) PS	Machine Style	Screw Information	Stroke	Daylight	Die Height		Platen Size		Tie Bar Cl.		Robot
							Min	Max	H	W	H	W	
IM-22	2000 TON ENGEL	400	Toggle		63"	118.1"	23.0"				55.1"	55.1"	Sepron
KO Patteren: 6x28; 10x40 H													
IM-23	2000 TON ENGEL	600	Toggle		63"	118.1"	19.7"				55.1"	55.1"	Sepron
KO Patteren: 6x28; 10x40 H													